


IP66

Beautifully safe

With its rugged good look and ease of operation you can be sure that IP66 will provide protection for your wiring accessories in even the toughest of environment.

A host of innovative design solutions provide both installer and end user with a range of products that is easy to work with and retain their good looks whatever the environment throws at them.



The advantages for you:

- IP66 complete protection from dust and high pressure water jets
- Easy to open catch and unique 180° opening lid
- Suitable for moulded on plugs
- Padlock can be fitted to prevent unauthorised use

Technical data:

- IP66 rating conforms to IEC/ BS EN 60529
- Functional products tested and certified to appropriate British/ IEC Standards. Product range has been independently tested and certified

Expert tips

1



Suitable for moulded-on plugs

Extended enclosure and extra wide gel seal means even moulded on plugs can be accommodated.

2



Padlockable

A padlock of up to 5mm diameter shank can be fitted to the enclosure to prevent unauthorised use.

3



Knockouts

20mm cable entry knockouts are secure and easily removed by pushing out from the inside of the back box.

4



180°

With its unique dual action hinge, the lid of the box can be opened a full 180 degrees for ease of plug insertion and switch operation.

5



Soft sealing

The factory fitted soft gel seal fits snugly around power cables to maintain the IP66 rating in use with the lid fully closed.

6



Drill Out

If 25mm conduit is needed, then a clearly marked drill out position allows safe and precise use of a 25mm hole saw.

7



Drain

The drain feature can be drilled out using a 5mm drill (opening the drain hole will reduce the IP rating of the product).

Warranty:

A warranty period of 10 years* is offered on Hager products, from date of manufacture, relating to any material or manufacturing defect.

The warranty is withdrawn if:

After inspection by Hager quality control department the device is found to have been installed in a manner which is contrary to IEE wiring regulations and accepted practice within the industry at the time of installation.

Warranty does not include damages or scratches caused due to inappropriate cleaning or use of any abrasive material.

An explanation of defect must be included when returning the goods.

* Excludes electronic products, which have a warranty of 2 years from date of manufacture.

Hager Electro S.A.S.
132 Boulevard d'Europe B.P.3
67215 Obernai Cedex
France

Tel: + 33 (0) 88 49 50 50
Fax: + 33 (0) 88 49 51 44
www.hager.com

Hager Middle East FZE
P.O. Box 61056
Jebel Ali Free Zone, Dubai
United Arab Emirates

Tel: + (971) 4 8836 364
Fax: + (971) 4 8837 993
www.hager.ae

Hager Electro B.V.
Saudi Arabia Branch
7361, Ibn Kuthaier Street,
King Abdul Aziz,
Unit No. 1, Riyadh, 12233-4230
kingdom of Saudi Arabia

Tel: + (966) 11 2924 541
Fax: + (966) 11 2923 744
Email: info@hager.sa
www.hager.ae

